

# SAFETY DATA SHEET

**Gulf Superfleet Synth ULE, SAE 5W-30** 

02148/5W-30/1

Issuing Date 05-06-2020 Revision Date 05-06-2020

Version 1

# **SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY**

**Product identifier** 

Product Name Gulf Superfleet Synth ULE, SAE 5W-30

**Product Code(s)** 02148/5W-30/1

Other means of identification

UN Number Not Applicable

Recommended use of the chemical and restrictions on use

Recommended Use Engine oil

**Uses advised against** Any other purpose.

Suppliers name, address and phone number

Gulf Oil Supply Company Limited B2 Industry Street, Qormi, QRM 3000, Malta

Tel: +44 207 321 6219

E-mail: products@gulfoilltd.com, sds@gulfoilltd.com

(+) 44 808 189 0979 (Code 334276)

(+) 1 760 476 3961 (Code 334276)

(+) 32 (0) 3241 33 55

Emergency telephone number

**Poison Information Center** 

telephone number

(AU) 13 11 26, (NZ) 0800 764 766

# **SECTION 2: HAZARDS IDENTIFICATION**

#### GHS Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Signal word

None

**Hazard statements** 

None

**Precautionary Statements** 

None

Other hazards

Not applicable

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

This product is a mixture. Health hazard information is based on its ingredients

Chemical name	CAS No	Weight-%
Highly refined, low viscosity mineral oils/hydrocarbons	-	25% - 60%
(Viscosity >7 - <20.5 cSt @40°C)		

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. The highly refined base oil may be described by one or more of the following generic CAS identifiers: 64742-54-7, 64742-65-0, 64742-52-5, 64742-53-6, 64742-62-7, 64742-57-0, 64742-01-4, 64741-88-4, 64742-96-4, 64741-97-5, 64742-55-8, 64742-56-9, 64741-89-5, 8042-47-5. See Section 15 for additional information on base oils.

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General advice** If symptoms persist, call a physician.

**Inhalation** Move to fresh air.

Skin contact Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use.

**Eye contact** Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing.

Ingestion Clean mouth with water. Drink plenty of water. Do not induce vomiting without medical

advice.

**Protection of First-aiders**Use personal protective equipment.

Most important symptoms and effects, both acute and delayed

Main Symptoms None

Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

# **SECTION 5: FIRE FIGHTING MEASURES**

### Extinguishing media

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment:, Use CO2, dry chemical, or foam, Water spray or fog, Cool containers with flooding quantities of water until well after fire is out

### Extinguishing media which shall not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire

### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. This material creates a fire hazard because it floats on water.

## **Hazardous decomposition products**

Carbon monoxide (CO), carbon dioxide (CO2)

### Advice for firefighters

### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ensure adequate ventilation.

Advice for non-emergency

Material can create slippery conditions.

personnel

**Advice for emergency responders** For personal protection see section 8.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

#### Methods and material for containment and cleaning up

Dike to collect large liquid spills

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically and collect in suitable container for disposal.

### Reference to other sections

See Section 8/12/13 for additional information

# **SECTION 7: HANDLING AND STORAGE**

### Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

## Conditions for safe storage, including any incompatibilities

### **Technical measures/Storage conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

# Incompatible materials

Oxidizing agent

Recommended Use Engine oil

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

# **Control parameters**

### **Exposure Limits**

Chemical name New Zealand New Zealand - Biological Exposure Australia Indices (BEI) Highly refined, low viscosity mineral TWA: 5 mg/m<sup>3</sup> TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup> oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)

> Australia - Workplace Exposure Standards for Airborne Contaminants. New Zealand - Workplace Exposure Standards and Biological Exposure Indices.

## Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection

Skin and body protection

**Hand Protection** 

Safety glasses with side-shields.

Long sleeved clothing. Apron. Impervious gloves. Protective gloves. Please observe the instructions regarding permeability and breakthrough

time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Barrier creams may help to protect the exposed areas of skin, they should

ASTM D 92

however not be applied once exposure has occurred.

No special protective equipment required. In case of mist, spray or aerosol exposure wear Respiratory protection

suitable personal respiratory protection and protective suit.

Hygiene measures Regular cleaning of equipment, work area and clothing is recommended.

**Environmental Exposure Controls** 

Thermal hazards

No special environmental precautions required.

None under normal use conditions

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

**Physical state** Liquid **Appearance** clear amber Hydrocarbon-like **Odor threshold** Odor Not Determined

Property Values Remarks

Not Determined Not determined

Melting point / freezing point

Boiling point / boiling range Not determined Flash point 210 °C / 410 °F

**Evaporation rate** Negligible Flammability (solid, gas) Not Determined

Flammability Limit in Air

Upper flammability or explosive

limits

Not determined

Lower flammability or explosive

limits

Not determined

Not determined Vapor pressure Vapor density Not determined 0.8539 @ 15 °C Relative density Solubility(ies) Insoluble in water Partition coefficient not determined

Autoignition temperature

Decomposition temperature

Kinematic viscosity

Not Determined not determined 68.1 cSt @ 40 °

Kinematic viscosity 68.1 cSt @ 40 °C ASTM D 445

**Explosive properties**Not applicable **Oxidizing Properties**Not applicable

Other Information

 Viscosity, kinematic (100°C)
 11.6 cSt @ 100°C
 ASTM D 445

 Pour Point
 -33 °C / -27 °F
 ASTM D 97

VOC Content (ASTM E-1868-10) Not Determined Not Determined

# **SECTION 10: STABILITY AND REACTIVITY**

### Reactivity

None under normal use conditions

Chemical stability

Stable under normal conditions

# Possibility of hazardous reactions

None under normal use conditions

### Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition, Extremes of temperature and direct sunlight

## Incompatible materials

Oxidizing agent

### Hazardous decomposition products

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# Information on the likely routes of exposure

## **Product Information - Principle Routes of Exposure**

**Inhalation** None known

Eye contact None known

Skin contact None known

**Ingestion** None known

# Numerical measures of toxicity - Product Information

**ATEmix (oral)** >2000 mg/kg **ATEmix (dermal)** >2000 mg/kg mg/l

## **Acute toxicity - Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

**Acute toxicity - Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 -	>2000 mg/kg	>2000 mg/kg	>5 mg/L
<20.5 cSt @40°C)			

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Sensitization

**Respiratory Sensitization** Based on available data, the classification criteria are not met. Skin sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

See section 8 for more information **Exposure levels** 

None known Interactive effects

# **SECTION 12: ECOLOGICAL INFORMATION**

### **Toxicity**

No special environmental measures are necessary

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)		>100: 96 h mg/L		>100: 48 h mg/L

### Persistence and degradability

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

## Bioaccumulative potential

No information available

# **Mobility in soil**

No information available

## Other adverse effects

None known

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### Safe handling and disposal methods

Dispose of in accordance with local regulations

# Disposal of any contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all label precautions until container is cleaned, reconditioned or destroyed.

### **Environmental regulations**

No information available

# **SECTION 14: TRANSPORT INFORMATION**

ADG Not regulated

IMDG Not regulated

Not regulated

# **SECTION 15: REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

# **National regulations**

#### Australia

Model Work Health and Safety Regulations (2016). Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (2011).

# Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

## **New Zealand**

Hazardous Substances Regulation 2001.

New ZealandNot RegulatedHSNO Approval Number:Not RegulatedHSNO Hazard Classification:Not Regulated

# **International Regulations**

## Ozone-depleting substances (ODS)

Not applicable

## The Stockholm Convention on Persistent Organic Pollutants

Not applicable

### The Rotterdam Convention

Not applicable

### **International Inventories**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory All ingredients are on the inventory or exempt from listing

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List All ingredients are on the inventory or exempt from listing

**AICS** - Australian Inventory of Chemical Substances All ingredients are on the inventory or exempt from listing

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances All ingredients are on the inventory or exempt from listing

**KECL** - Korean Existing and Evaluated Chemical Substances All ingredients are on the inventory or exempt from listing

**IECSC** - China Inventory of Existing Chemical Substances Contact supplier for inventory compliance status

**ENCS** - Japan Existing and New Chemical Substances All ingredients are on the inventory or exempt from listing

**TCSI** - Taiwan National Existing Chemical Inventory Contact supplier for inventory compliance status

**NZIoC** - New Zealand Inventory of Chemicals All ingredients are on the inventory or exempt from listing

### Other Information

The highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers:

Chemical name	CAS No	EC No
Distillates (petroleum), hydrotreated heavy paraffinic	63742-54-7	265-157-1
Distillates (petroleum), heavy hydrocracked	64741-76-0	265-077-7
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	265-090-8
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	265-091-3
Residual oils (petroleum), solvent deasphalted	64741-95-3	265-096-0
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4	265-097-6
Distillates (petroleum), solvent-refined light naphthenic	64741-97-5	265-098-1
Residual oils (petroleum), solvent-refined	64742-01-4	265-101-6
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	265-156-6
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	265-157-1

Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	265-158-7
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	265-159-2
Residual oils (petroleum), hydrotreated	64742-57-0	265-160-8
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	265-161-3
Residual oils (petroleum), solvent-dewaxed	64742-62-7	265-166-0
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7
Paraffin oils (petroleum), catalytic dewaxed light	64742-71-8	265-176-5
Dec-1-ene, homopolymer, hydrogenated	68037-01-4	500-183-1
Lubricating oils (petroleum), C>25, hydrotreated bright stock-based	72623-83-7	276-735-8
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity	72623-85-9	276-736-3
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	276-737-9
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	276-738-4
Lubricating oils	74869-22-0	278-012-2

# **SECTION 16: OTHER INFORMATION**

**Issuing Date** 05-06-2020

Revision Date 05-06-2020 Revision Note 05-06-2020 Initial Release

## Key or legend to abbreviations and acronyms used in the safety data sheet

TWA Time weighted average STEL Short term exposure limit

Ceiling Maximum limit value: (s) - Skin Skin designation + Sensitizers C Carcinogen

STOT SE - Specific target organ systemic toxicity (Single exposure) STOT RE - Specific target organ systemic toxicity (repeated exposure)

VOC - Volatile organic compounds

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**